BID CALL -- NOT AN ORDER

	O. 1130 December		CITY OF YAKIMA PURCHASING DIVISION 129 NO. 2ND STREET YAKIMA, WASHINGTON 98901 PHONE 575-6093	PLEASE BID ON THIS FORM RETURN MARKED "NO BID' IF YOU CANNOT BID AND REASON IN ORDER TO REMAIN ON VENDOR LIST
VEND	OR			
ADDR	RESS		BIDS WILL BE	E RECEIVED
			UNTIL 2:00 p	.m., January 11, 2013
			BID OPENING	2:00 p.m., January 11, 2013
TERMS AND T	E QUOTE S FOR THI O ACCEP	E FOLLOW Γ ANY OR	LOWEST PRICE, BEST DELIVERY DAY VING. THE CITY RESERVES THE RIGHT ALL ITEMS AT THE PRICE QUOTED. 1900 CALENDAR DAYS.	Γ TO REJECT ANY OR ALL BIDS
ITEM NO.	QTY	UNIT	DESCRIPTION	TOTAL
			The City of Yakima Police Department is r to purchase and up-fit six (6) Kawasaki (Police) Motorcycles per the attached specif	Concours 14
			SCHEDULE I	
1.	6	Each	2013/2012 New Kawasaki Concours 14 Mo Enter Number and Year Bid:	2013 2012
			FREIGHT/PICK-UP of FOB Destination: Yakir	
			TOB Destination. Takin	SUBTOTAL \$
			WA STATE DESTINATION BASED	TAX @ 8.2% \$
				TOTAL: \$
			OMPLETE THE ABOVE UNIT WITHIN AND TERMS SPECIFIED UNLESS OTHER	

			SCHEDULE II
2.	6	Each	Up-Fit 2013/2012 New Kawasaki Concours 14 Motorcycles with Standard Police Equipment Package and Optional Equipment Per Section III, Technical Specifications (Page 10).
			FREIGHT/PICK-UP & DELIVERY FOB Destination: Yakima, WA 98902 INCLUDED
			SUBTOTAL \$
			WA STATE DESTINATION BASED TAX @ 8.2% \$
			TOTAL: \$
,	*		COMPLETE THE ABOVE UNIT WITHIN DAYS FROM RECEIPT OF AND TERMS SPECIFIED UNLESS OTHERWISE NOTED.
			GRAND TOTAL \$
			Schedule I & II

NON-COLLUSION DECLARATION

I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:

- 1. That the undersigned person(s), firm, association or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
- 2. That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.

SIGNATURE SHEET Bid No. 11302

Kawasaki Motorcycles and Police Accessories & Equipment Yakima Police Department

The bidder is hereby advised that by signing this signature sheet he/she is deemed to have acknowledged all requirements contained herein.

acknowledged all requirements contain	ned herein.
**Receipt is hereby acknowledged of (If Applicable)	of addendum(s) No. (s), &
	SIGNATURE OF AUTHORIZED OFFICIAL(S)
	Firm Name
	Address
JED 🕳	Sign Name
MUST BE SIGN	Print Name
PROPOSAL MUST BE SIGNED	Date Signed
	Phone Number
	Fax Number

CITY OF YAKIMA SPECIFICATIONS

KAWASAKI MOTORCYCLS AND POLICE EQUIPMENT & ACCESSORIES BID NO. 11302

I. GENERAL

A. It is the intent and purpose of these specifications to describe Kawasaki Motorcycles and the police accessories and equipment to be installed in sufficient detail to secure bids on comparable equipment. All parts, which are necessary in order to provide a complete unit, ready for operation, shall be included in the bid and shall conform in strength, quality of workmanship and material to that which is usually provided the trade in general. Any variance from the specifications or standards of quality must be clearly pointed out in writing by the bidder.

B. Model:

Units shall be new and unused current 2013 and/or 2012 models.

C. New and Unused:

All equipment, parts and material shall be new, unused, manufacturer's model year 2013 and/or 2012 and in current production. All materials shall have physical and chemical properties to withstand the intended service. Equipment design shall have sufficient excess capacity for durability and safety.

D. Best Modern Practices:

All work, including design, shall be performed and completed in accordance with the best modern practices, further, no detail necessary for safe and regular operation shall be omitted, although specific mention thereof may not be made in these specifications.

E. Exceptions:

Specifications of the equipment bid shall be equal to or better than the specifications stated herein and all exceptions to these specifications shall be so listed on a separate sheet headed "EXCEPTIONS TO THE SPECIFICATIONS". Any Bid submitted without exceptions will be required to meet every detail of these specifications regardless of cost to the successful yendor.

Where "NO EXCEPTIONS" are shown, none will be allowed. No exceptions will be considered that may tend to devalue the equipment or give an individual bidder who is offering a lesser item a distinct advantage.

F. Right to Award:

The City of Yakima reserves the right to make contract award on all groups of materials listed on the bid form or award based on any group or based on any combinations of groups.

G. Right to Reject/Accept:

The City of Yakima reserves the right to reject any or all bids or accept any presented which meet or exceed these specifications, and which would be in the best interest of the City and will not necessarily be bound to accept the low bid.

H. Bid Evaluation:

Evaluation of bids shall be based on cost, past experience with proposed manufacturer's service availability, parts availability, equipment design and functionalism and effect on productivity and vendor's supporting documentation.

I. More or Less:

Quantities are estimated only and shall be bid on a MORE OR LESS basis. For the purpose of comparison, bids shall be made in the quantities listed in this specification. Listed quantities shall not be considered firm estimates of requirements for the year, nor shall the City be bound or limited to quantities listed. Payment will be made only for quantities actually ordered, delivered, and accepted, whether greater or less than the stated amounts.

J. Sales Tax:

The City of Yakima's Washington State Sales Tax rate is currently 8.2%. However, the amount of sales tax will not be considered in determining which bid is the lowest and best bid.

K. Unit Prices/FOB:

Unit prices bid shall be net exclusive of all taxes; and must include all transportation, delivery and unloading costs fully prepaid F.O.B. destination, inside delivery.

II. SPECIAL INSTRUCTIONS

A. Due Date:

Bids shall be submitted to and date stamped by the City Clerk's Office, Yakima City Hall, 129 North 2nd Street, by 2:00 p.m. on January 11, 2013 in a sealed envelope labeled Bid No. 11302 with date of bid opening written on it. If you plan on attending the bid opening, <u>DO NOT BRING YOUR BID WITH YOU INTO THE OPENING ROOM</u>. It must be received and date stamped by the Clerk's Office.

B. Bidder Requirements

Shall be an authorized Kawasaki Motorcycle dealership to bid.

Must have an authorized Kawasaki repair facility with 40 Miles of Yakima's Fleet Operations, City of Yakima Public Works, 2301 Fruitvale Boulevard, Yakima, WA.

Must have authorized/certified Kawasaki factory trained repair technicians, this is to include training on the ability to perform warranty repairs on the Police up-fit package.

The approved "Manufacturer Up-fit Facility" shall be: Kawasaki Authority Sales and Randy Bohn, (208) 651-8522, or approved equal. "Approved equal" for other sub-contracted up-fit facility must be submitted and approved by the City for consideration prior to bid due date. No exceptions. Please contact the Susan Knotts at (509) 575-6095 or Sgt. Jay Seely at (509) 576-6319 for specifics, if necessary.

C. Dealer Authorization

The Bidder of Kawasaki motorcycles, if other than the manufacturer, shall provide a current, dated, and signed authorization from the manufacturer that the bidder is an authorized distributor, dealer and service representative and is authorized to sell the manufacturer's products. Failure to comply with this requirement may result in bid rejection

Vendor shall notify the City of Yakima sixty (60) days prior to the closing of their facility and within 10 days of losing Kawasaki Dealers License, Vehicle Dealers License and all other license associated with this bid.

D. Motorcycle:

Bidder shall be a manufacturer, dealer, or an appointed representative of a manufacturer, presently involved in the servicing, manufacturing, and sale of Kawasaki motorcycles, factory parts and accessories; shall have a traceable record of performance of similar equipment during the three (3) years immediately preceding this bid; and shall have a demonstrated capability to provide local warranty and support services within seventy-two (72) hours or less, subject to parts availability, after such services have been requested by the City of Yakima. Any other repairs will be expedited in a timely manner and Dealer will provide City with expected date of completion.

E. Accessories and Equipment:

Bidder shall be a manufacturer, dealer, or an appointed representative of a manufacturer, presently involved in the servicing, manufacturing, and sale of Kawasaki factory parts and accessories; shall have a traceable record of performance of similar equipment during the three (3) years immediately preceding this bid; and shall have a demonstrated capability to provide warranty and support services within a timely manner after such services have been requested by the City of Yakima and expedite repairs as fast as possible subject to parts availability.

F. Inspection of Vendors Facility:

Prior to awarding the contract, the City of Yakima and/or its representative(s) may inspect the manufacturing and service facility of the apparent low bidder to verify that the apparent low bidder has the facility, equipment, personnel, and experience to repair, service and support the equipment offered.

G. Warranty/Pre-delivery:

Each unit shall carry full factory and/or manufacturer's warranty and complete predelivery service. Any materials, including but not limited to parts and accessories provided and labor shall carry standard warranty coverage furnished the trade in general. This warranty is to include the Kawasaki authorized up-fitters warranty of 36 Months Unlimited Mileage Including Police Duty Warranty. The Vendor shall be responsible for all warranty claims related to all Kawasaki Concours 14 Police Motorcycles ordered under this contract, this shall include the Police Up-fit Package installed by the authorized Kawasaki up-fitter. All warranty claims and repairs shall be performed by the Vendor at the Vendors local warranty repair facility. Should the Vendor need to address warranty work on any of the Kawasaki Concours 14 Police Motorcycles (under this contract) after this time period, the Vendor shall continue to meet the insurance requirements set forth in this section though the warranty period and until all warranty work is completed to the satisfaction of the City of Yakima.

Vendor shall notify the City of Yakima thirty (30) days prior to the location change of the Vendor's local warranty facility.

Bidder shall state terms and conditions of guarantee/warranty.

H. Materials/Accessories Responsibility:

The bidder shall be responsible for all materials and workmanship in the construction and/or up-fit of the equipment and all accessories used, whether the same are purchased from the manufacture or a dealer. This provision excludes tires, except insofar as such equipment is damaged by the failure of a part or component for which the contractor is responsible, or except insofar as the damage to such equipment is caused by the contractor during the retro fit or delivery of the equipment.

Parts, accessories, equipment and/or components damaged during transport shall be replaced with new parts, accessories, equipment, and/or components by contractor at no additional cost to the City of Yakima. Repair of items damaged during transport shall not be acceptable without prior approval of the City of Yakima.

I. Liability Insurance Requirements:

The Contractor shall obtain and maintain in full force and effect during the term of the contract, Garage Liability and Garage Keepers Liability coverage with insurance carriers admitted to do business in the State of Washington. The insurance companies must carry a Best's Rating of A- VII or better. The policies will be written on an occurrence basis, subject to the following minimum limits of liability:

Garage Liability: \$1,000,000 Minimum Limit

Garage Keepers Liability: \$200,000 Minimum Limit

Contractor is responsible for losses within the deductible amount.

The City of Yakima, its agents, elected and appointed officials, and employees are to be listed as additional insureds under the policies.

The Contractor will provide a Certificate of Insurance to the City as evidence of coverage. The certificate will provide 30 days notice of cancellation, and under the cancellation section, the wording "endeavor to" and "but failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents or representatives" will be crossed out. A copy of the additional insured endorsement attached to the policy will be included with the certificate.

The Contractor shall also maintain workers compensation through the State of Washington.

If at any time during the life of the contract or any extension, the Contractor fails to maintain the required insurance in full force and effect, all work under the contract shall be discontinued immediately. Any failure to maintain the required insurance may be sufficient cause for the City to terminate the contract.

This Certificate of insurance shall be provided to the Purchasing Buyer, prior to commencement of this work.

J. Delivery:

Each bidder is required to list on the proposal and/or Bid form the number of calendar days he expects delivery to be made at the destination, in terms of time interval, following placement of order. Time of delivery is important and will be considered in the evaluation of the Bids. Failure to include a specific number of calendar days may be sufficient grounds for rejection of Bid.

K. Delivery Acceptance:

Delivery will be accepted by the City of Yakima, FOB and prep included, City of Yakima Public Works Facility, 2301 Fruitvale Boulevard, Yakima, Washington, 98902, between the hours of 7:00 a.m. and 3:30 p.m. Monday through Friday, ready for regular and safe operation. The successful Vendor's personnel making the delivery shall instruct City personnel in maintenance and proper operation of the equipment prior to their departure from the delivery site. All equipment shall have complete pre-delivery setup and service.

Delivery of the equipment shall be coordinated by contacting Jay Seely, at 509-576-6319, at least one (1) week prior to delivery. Expenditures and/or damages resulting from failure by Vendor to comply with the specified delivery coordination requirements shall be the entire responsibility of the Vendor.

L. Vehicle Acceptance:

The motorcycles shall remain the property of the successful bidder until final accepted by the City of Yakima. Upon delivery, the motorcycle shall thoroughly be tested in operation and function of the unit as a whole by a City of Yakima Police representative. The City of Yakima may require the Vendor to have an authorized representative or a mechanic assist the City in these tests. The risk of loss shall remain with the Vendor unless said loss is due to the negligent acts or omissions of the City of Yakima or its employees and Vendor shall provide adequate temporary protection from road hazards. The successful vendor shall make, at his own expense, any adjustments or alterations that may be required by the City as a result of the operation test. After the motorcycles have passed all operational and functional tests required, and all identified problems have been resolved to the satisfaction of the City, final acceptance by the City of Yakima will be made.

M Delivery of Papers:

<u>Licensing Papers:</u> The successful vendor shall deliver all necessary papers required to register the unit with the Washington State Department of Licensing as a motor vehicle. This includes a "Manufacturer's Statement of Origin" (MSO) and Washington State title application.

Manuals: One operator's manuals, one repair manuals, one shop type maintenance manuals, and factory warranty as well as any additional warranties shall be submitted to Jay Seely, (509) 576-6319at the time the unit is delivered. Also provide in CD or DVD format, if available. Failure to provide these manuals shall result in delay of payment.

Warranties: For unit, parts and service and all other warranties.

N. Materials Bought from Different Supplier:

Should the contracted vendor be unable to or refuse to supply materials, on any given day, against this predetermined delivery schedule to which the supplier has agreed and the City is forced to do the work with materials bought from a different supplier, the difference in the Bid price of the materials and that paid the new supplier, in order to do the work, shall be charged to and paid for by the contracted vendor holding the Bid award for these products.

Vendor shall not, however, be responsible for delays in delivery due to:

- 1. Unavoidable mechanical breakdowns
- 2. Strikes
- 3. Inability to secure component materials
- 4. Acts of God
- 5. Fire

Provided the City of Yakima Purchasing Manager is notified in writing by the contracted vendor of such pending or actual delay. In the event of any delay, the date of delivery shall be extended for a period equal to the time lost due to the reason for the delay.

O. Regulations and Codes:

To the extent applicable, all equipment or materials shall comply with Washington State vehicle regulations, Federal regulations, OSHA and WISHA requirements, to include EPA standards and City safety codes.

P. Payments:

Vendor is to submit properly completed invoice(s) to the **City of Yakima, Accounts Payable, 129 N. 2nd Street, Yakima, WA 98901**. To insure prompt payment each invoice should cite purchase order number, bid number, description of item purchased, unit and total price, discount terms and include the vendor's name and return remittance address. Payment will be mailed within thirty (30) days of (a) the receipt and acceptance of the equipment, (b) properly completed invoice, and (c) all papers required to be delivered with equipment.

Q. Additional Work;

Any additional work found necessary that is not specified in this Bid specification shall be listed on a separate sheet entitled "Additional Materials/Labor Required".

R. Points Not Addressed:

Bidders are encouraged to list any points not addressed in these specifications that they feel improve or enhance the operation of their units.

S. Technical Specification Analysis:

Each bidder shall complete the "TECHNICAL SPECIFICATION ANALYSIS" section of the Bid Call and same shall be returned with the vendor's proposal. <u>Failure to do so will be cause for rejection of said proposal</u>.

Vendor shall check "YES" if they do comply 100% with that particular specification, or "NO" if they do not. If "NO" is checked, vendor must explain in the "COMMENTS" column on the right how their specification deviates. Checking "NO" on any item will not necessarily disallow vendors bid. The City shall be the sole judge as to whether an exception is acceptable or not.

III. TECHNICAL -- "SPECIFICATIONS ANALYSIS"

SCHEDULE I SPECIFICATIONS KAWASAKI MOTORCYCLES

YES N	<u>10</u>	CONCOURS 14 ABS	COMMENTS
	A.	GENERAL	
	-	2013 or 2012 model Concours 14	
	-	Two wheels with a wheelbase of 58" to 65"	
	_	Labeled in compliance with Federal and State vehicle regulations.	
	В.	ENGINE – Shall have a minimum of:	
	_	1352 cubic centimeters displacement,	
		Electric Fuel Injected.	
	-	Liquid Cooled Inline-Four Cylinder with Variable Valve Timing.	
	-	155 Horse Power (HP)	
	-	5 Gallon of fuel tank capacity (Reserve included in capacity).	
	-	Engine venting designed to direct the engine heat away from the Motor Officer.	
		Shall Have:	
	-	Capability to operate knock free at all engine and or vehicle speeds with manufacturer's recommended octane rating.	
	С.	POWER TRAIN	
		Hand operated clutch shall be located on left handlebar.	
	-	Transmission shall have foot shift lever, ≥ 6 speeds and not interfere with normal foot position.	
	-	Kawasaki Traction Control (KTRC) Dual Mode (reduces engine output to lessen wheel spin)	
	-	Tetra-Lever Shaft Drive Four Link Design (offsets lifting and squatting tendencies of shaft drive which drastically reduces routine maintenance requirements)	
	_	Neutral position Indicator shall be visible from seated position.	

Shift pattern shall be as follow 1) Neutral located between 1st and 2nd gear. 2) Shift down from neutral to 1st gear. 3) Shift up from neutral to 2nd, 3rd, 4th, etc. D. **CHASSIS** Brakes shall meet following requirements. Dual Front Disc Brakes/Single Rear Disc. Brake. Be hydraulic, have rear independent brakes at all times or linked brakes with deactivation of the rear brake at low operation speeds (deactivation speed shall be 15±5 mph), and have Anti-Lock Brake System (ABS). Front brake shall be right handlebar operated dual disc type to provide deceleration without loss of control. Rear brake shall be disc type; right foot operated and allow full travel of pedal during brake application without lifting heel from non-skid footrest. Second generation Kawasaki Coactive-Braking Technology (K-ACT) ABS (links front and rear brakes) with two modes: 1) Standard Mode. 2) High Combined Mode. A low-battery mode maintains ABS timing and pressure relief functions. K-ACT lamp will flash and "Low Battery" will be displayed on the LCD screen. Frame shall meet following requirements. Rear swinging arm type hydraulic shock shall have provision for adjustment to weight. Front hydraulic pre-load shock shall not be gas pressure adjustable. Load-carrying capacity shall be a \geq 350 Lbs. (this includes the mounted equipment ≥45 Lbs, utility box load 30 Lbs and rider weight). Light weight, narrow Aluminum Monocoque Frame. Ε. **ELECTRICAL SYSTEM** Chasses Electrical System shall meet following requirements.

Overload/short protected electrical system shall be 12VDC.

 	With unit idling alternator shall provide output at the battery ≥13VDC and current required to operate all electrical equipment simultaneously.
 	Battery(ies) shall be maintenance free type with a minimum combined total rating of \geq 25 amp/hr.
 	Right handlebar located starter switch shall be prevented from operating by safety mechanism when clutch is engaged.
 	Starter shall be type 12V motor and one way clutch engagement.
F.	ELECTRICAL SYSTEM
	Lighting System shall meet following requirements.
 	Headlight shall have high beam indicator light readily visible to the rider. High/low beams shall be controlled by a switch on the handlebar.
 	Turn signals shall be visible from front, rear. Sides and mounted at following location:
	 Two (2) on the front Two (2) on the rear Two (2) on the side above the rear utility boxes
 	Turn signal switch for left and right signals shall be located on the handlebars and shall be push to lock on type with indicator light on the dash panel, which will operate when the turn signals are in operation. The Indicator lights shall be visible to the seated operator.
 _	Rear and side rear turn signal lights shall be wired to a switch with indicator light to permit rear and side rear signal lights to flash together, independent of the front signal lights and to operate with ignition switch in any position.
 	Signal flash rate shall be ≥ 60 and ≥ 120 per minute.
 	Rear installed light emitting diode (LED) auxiliary brake light;
	 Shall be activated with brake light, Shall operate at low intensity when taillight is illuminated,
	Shall function as a supplementary brake light flashing several times prior to burning steady.
	Horn shall meet following requirements.
 	Horn shall be located on left handlebar and operate in any key position (both with or without the key).

	Switches shall meet following requirements.
 _	Ignition Switch, headlight switch, and all other switch locations not specifically described, shall be mounted to be conveniently accessible by the rider in sitting position.
 _	Switches for control of all emergency equipment (siren, pursuit lights, rear flashing warning light, etc.) shall be located on the handlebar and accessible without removing hands from the grips.
 	Ignition, headlight, and taillight switches shall be designed and wired to permit the engine to run without the headlight and taillights on.
 	If unit is equipped with running lights, the running lights shall be designed to permit the engine to run without the running lights on.
 _	Dash panel and instrument lights shall be hooded or otherwise designed to prevent glare onto the windshield and be visible in direct sunlight.
G.	HANDLEBARS
 _	Handlebars shall have a non-painted corrosion resistant finish with adjustment, if any, unrestricted by any accessory equipment, wiring or fairing.
 	Straight-line distance from handlebar end to end (including weights if applicable) ≥ 31 " and ≥ 34 ".
 	Standard Adjustable Heated Grips with easy to reach dial shall be installed.
 	Handlebar grips shall be of firm, dark colored plastic and/or rubber.
 	Right handlebar located throttle control shall not exhibit slack or play and shall provide adjustable drag to permit setting throttle at any position without returning to idle when hand is released.
 _	Handlebar control levers shall contain ball type knobs on their outer ends to minimize the possibility of the hand slipping off the lever.

		Unit shall be equipped by City of Yakima with a radio control head system on the center of the handlebars, gas tank console, or fairing. Mounting of the radio control head, speaker and microphone shall not obstruct visibility of indicators or accessibility of control, tachometer, speedometer, or switches and shall be readily accessible when seated on the unit.
 		Handlebars shall have a non-painted corrosion resistant finish with adjustment, if any, unrestricted by any accessory equipment, wiring or fairing.
	Н.	TIRES AND WHEELS
 		Tires shall meet following requirements.
 		Tubeless tires to meet speed and load ratings for the motorcycle as specified.
 		Tire sidewall bead shall not dismount from the interior shoulder of the rim when running flat.
 		Each tire and wheel assembly shall be balanced.
 		Lateral and radial run-out shall be within the factory recommended tolerances.
 		Tires supplied must be readily available through motorcycle manufacturer's distributors.
		Wheels shall meet following requirements.
 		Aluminum front/rear wheels shall be designed to prevent tire separation from rim when running flat.
	I.	REAR VIEW MIRRORS
 		Rear view mirror shall comply with all FMVSS requirements.
 		One FMVSS compliant rear view mirror shall be provided on each side.

	J.	SPEEDOMETER and INSTRAMENT PANAL (AT A MINIMUM, EITHER OR SHALL BE PROVIDED)
 		Speedometer shall be calibrated for accuracy of \pm 2 mph at speeds of 15 to 100 mph.
		Easy to Read Speedometer (displayed in 2 MPH increments) and Tachometer; Multi-Functional LCD Display Including an Odometer, Two Trip Meters, Fuels Gauge, Gear Position Indicator, Clock and Air Pressure Indicator.
		The LCD also displays the KTRC and K-ACT Mode Indicator, Economical Riding Indicator, and Fuel Economy Assistance Mode, along with the Outside Temperature.
 		Digital speed readout of stated accuracy, OR
		 Dial Face marked ≥120 mph. Face markings shall be graduated in increments of ≥2 mph with bold face increment every 10 mph. Speedometer indicator needle tip shall extend to increment makers but shall not cover more than a 2 mph section of the scale.
 		Speedometer shall be illuminated when headlight is turned on.
	К.	FAIRING
 		Windshield shall be adjustable or of tallest height offered by manufacturer.
 		Fairing shall have accommodation for headlight and pursuit lamps.
 		Windshield shall be designed to break away during an impact.
 		Electrically Adjustable Windscreen with Memory Functions
	L.	SEAT
 		Seat shall be foam-padded, covered with black leather or vinyl material. Lumbar support shall be provided when the rider is in the seated position.
	M.	SIDE STAND
 		Shall have a $\ge 2 \frac{1}{2}$ square inches of surface on the ground when extended.
 		Shall be mounted on left side.
 		Shall be designed to be lowered and retracted with one foot when

seated on the unit without visual assistance from the rider.

		turns when retracted.
 		Shall not be foldable / retractable with unit's weight on it.
 		Shall not cause motorcycle to have a lean > 15° from vertical when stand is extended and front wheel is in a straight-ahead position.
	N.	FOOTRESTS
 		Unit shall be equipped with footrests (pegs) and/or foot boards designed to fold in the event of contact with the ground.
 		Footrests and/or footboards shall be replaceable or provided with replaceable stopper/skid plates.
	Ο.	MUFFLER(S)
 		Muffler(s) shall conform with Washington Vehicle Code sound restrictions.
 		Muffler(s) shall be positioned to provide clearance for utility storage boxes on each side of the rear wheel and the possible mounting of an electric siren amplifier under or in front of one of the boxes.
 		Unit shall have a maximum of 2 mufflers with a maximum of 4 headers pipes into each.
 		Muffler(s) shall be of corrosion resistant material.
	P.	KEYS
 		Minimum of 3 sets of key fobs shall be provided for each unit at time of delivery (3 sets of keys for specific functions as saddle bag or trunk lid).
		Kawasaki Intelligent Proximity Activation Starting System (KIPASS) – a key fob that is carried with the officer and immobilizes the Police Motorcycle.
	Q.	EMERGENCY TOOL KIT
 		Each unit shall be delivered with manufacturer approved emergency tool kit.
	R.	ELIMINATIONS
 		Name plates, medallions, or insignia shall not be installed on fuel tank(s) or front fender.
 		No holes shall be left as a result of these deletions

 		rider shall be flush mounted.
	S.	PERFORMANCE REQUIREMENTS
 		Note: Testing will cease immediately and Unit Under Test (UUT) will be disqualified if any time testing reveals a stability or handling characteristic that is determined to jeopardize test rider safety.
	Т.	ELECTRICAL TESTING
 		When UUT is turned off, battery shall function for 20 minutes simultaneously running taillight, blue ID lights, rear flashers, headlamp, & radio on standby.
		Unit shall restart as normal following this test.
 		Siren shall not exhibit a delay when turned on.
 		When UUT is running in idle, all lights, radios, and siren shall be able to function simultaneously without depleting the battery.
	U.	PROTECTION BARS
 		Rear protection bars shall be mounted to the unit frame or as part of the utility storage box brackets.
 		During unit down, bars shall provide adequate clearance for rider's feet and legs.
 		Shall have the ability to support weight of a fully equipped unit.
 		Shall have a non-painted corrosion resistant finish.
	V.	SIREN/PUBLIC ADDRESS SYSTEM
 		Amplifier and speaker driver shall be rated at ≥100 watts.
 		Controls shall be provided to enable operation of siren in Momentary, Wail or Yelp mode.
 		Up-fit vendor to provide/install relays, pin/socket connectors, and wiring to permit operation as described.
	W.	RADIO TRUNK
 		Unit shall feature a radio storage box to accommodate installation of City of Yakima communications equipment, including brackets(s) or an mount radio antenna.

			Radio storage box and/or antenna mounting bracket(s) may be integral or separate and shall be mounted over the rear tire and/or fender.
			Radio storage box shall be designed to accommodate installation of following items:
			1) 2)
			Radio storage box shall be equipped with brackets and /or mounting plates for secure mounting of above listed equipment.
			Supplier shall install City of Yakima provided radio and mounting brackets, positioned to allow unobstructed removal of radio.
			Antenna shall not obstruct rider visibility or mounting/dismounting of motorcycle.
		X.	UTILITY STORAGE BOXES
			One (1) law enforcement type utility storage box shall be installed on each side of rear wheel and/or fender (saddle bag)
			Boxes and lids shall:
			 Be black in color and of rigid constriction. Be of equal exterior sizes
			2) Be of equal exterior sizes.3) Be sealed against moisture and dirt.
			4) Feature keyed locks and sturdy lid hinge.
			5) Be of adequate strength for loading up to 15 pounds of material in each side.
			6) Have a removable bag, with a handle, of sufficient size to hold the weight of the contents.
S	TANDA	RD K	SCHEDULE II AWASAKI CONCOURS 14 POLICE EQUIPMENT AND ACCESSORIES
		A.	ENGINE
			Shall have a 125 MPH Speed Limiter which also corrects the Speedometer Reading to +/- 2 MPH installed.
		B.	ELECTRICAL SYSTEM
			12 Dedicated Emergency Equipment Only, Fused Circuits shall be installed and utilized.
			Dual Battery System-28 AMP Linked, one battery committed to the Emergency Equipment which prevents dead engine batteries.

	<u>Lighting System shall meet following requirements.</u>
	A Headlight Cut Out Switch shall be installed, location to be determined at mid-build.
	Two (2) blue identification lights (License plate bracket/brake light/ID light combo) shall be mounted one on each side of the license plate, and connected with the taillight circuit.
С.	EMERGENCY LIGHTING PACKAGE SHALL MEET THE FOLLOWING REQUIREMENTS.
	LED pursuit lights shall be Whelen Warning System for Kawasaki Motorcycles.
	Motorcycle warning/switching system shall be installed in the following configuration:
	10 Head LINZ6 LED Lighting package:
	 Three left side front emergency LEDs: One forward facing One at 45° One at 90° Three right side front emergency LEDs: One forward facing One at 45° One at 90° Four rear facing equipment trunk mounted emergency LEDs: Two left rear facing Two right rear facing
	Dash mounted indicator lights, displaying when Front and Rear Emergency Lights are activated shall be installed and shall be visible to the operator in a seated position.
	A Deluxe Wiring Harness and Emergency Light Control Module (LCM) with 32 programmable Flash Patterns and Air Horn.
	A Rear Only Emergency Flasher Switch
	Front forward facing LED pursuit lights shall be positioned ≥ 8 " from vertical centerline and at or above the horizontal centerline of the headlight.
	Two (2) rear facing duplex LED pursuit lights shall be mounted above the rear license plate assembly.

Emergency lighting:

- 1) Shall operate with the ignition switch in any position (both with or without the key).
- 2) Forward of the handle bar mounting bracket and/or triple clamp assembly shall have mounted status indicators; red for forward facing LED pursuit lights, amber for rear facing LED pursuit lights and yellow for Opticom. Indicators need to be readily visible to the rider when seated in the riding position (indicator lights shall not be mounted anywhere on the windscreen/windshield).
- 3) Installed and functional pursuit light location must be in compliance with FMVSS.
- 4) Flash rate of pursuit lights shall adjustable from 60 to 120 fpm, alternating left to right. Shall be programmed to be activated through the siren function when siren tone is changed. Secondary pattern will display for 7 seconds, then, then resume primary pattern.

Pursuit light switch, Opticom switch shall be mounted on the right side handle bar. Pursuit switch shall have the ability to control front and rear light package independently.

D. PROTECTION BARS

Front (engine guard) and rear (utility storage box) protection bars shall be provided. Front body and Rear Saddle Bag Drop Bars-Black

E. SEAT

Custom Solo Saddle with Removable Padded Back Rest shall be installed.

F. SIREN/PUBLIC ADDRESS SYSTEM

— 100 Watt 3 Tone Scrolling Programmable Siren System

SCHEDULE III KAWASAKI CONCOURS 14 POLICE ACCESSORIES

YES NO		Optional Kawasaki Concours 14 Police Equipment COMMENTS								
	A.	LIGHTING								
		External LED brake/taillight with mount								
	В.	Emergency Lighting Package shall meet following Requirements								
		Wig Wag Head Lamp Hi Intensity								
		Wig Wag take down lights								
		M4 upgrade emergency lights (Front)								
		M4 upgrade emergency lights (rear)								
		LED take down lights with adjustable dimmer and mounts.								
	C.	FAIRING								
		A V-Stream tall windshield shall be installed. The windshield shall be manufactured from clear, scratch resistant polycarbonate material and provide full vision.								
	D.	SEAT								
		Heated seat shall be installed.								
	E.	HANDLE BARS								
		Handle bar risers shall be installed 3" Pullback.								
		Radio head mount for handlebars								
	F.	SIDE STAND								
		Fat Foot Kick Stand shall be installed.								
	G.	SIREN/PUBLIC ADDRESS SYSTEM								

		PA control system shall be interfaced with an agency provided wireless mobile radio interface.
		The PTT switch and PA switch will be located on the left handle bar.
		The City of Yakima shall provide the wireless mobile radio interface install kit to be installed by the up-fit vendor.
	Н.	PAINT
		Custom Paint Scheme – Santa Fe Paint Scheme.
	I.	Radio Trunk
		Bike shall have an aluminum equipment trunk mounted aft of set of saddle bags on top of rear fender area.
		Radio Trunk shall:
		 Have a hydraulic piston lid Citation tray
		2) Similar Haj
	J.	Miscellaneous:
	 J.	•
	 J.	Miscellaneous:
	 J.	Miscellaneous: Install 23M Clear Tape Kit
_	 J.	Miscellaneous: Install 23M Clear Tape Kit External speaker and harness 1) One (1) for radio
	J.	Miscellaneous: Install 23M Clear Tape Kit External speaker and harness 1) One (1) for radio 2) One (1) for custom signal radar Power timer for radio and/or accessories, voltage sensing and
	 J.	Miscellaneous: Install 23M Clear Tape Kit External speaker and harness 1) One (1) for radio 2) One (1) for custom signal radar Power timer for radio and/or accessories, voltage sensing and adjustable time.
	J.	Miscellaneous: Install 23M Clear Tape Kit External speaker and harness 1) One (1) for radio 2) One (1) for custom signal radar Power timer for radio and/or accessories, voltage sensing and adjustable time. Rear 12V power accessory socket/auxiliary battery charge port.
	J.	Miscellaneous: Install 23M Clear Tape Kit External speaker and harness 1) One (1) for radio 2) One (1) for custom signal radar Power timer for radio and/or accessories, voltage sensing and adjustable time. Rear 12V power accessory socket/auxiliary battery charge port. Includes dual functioning charge plug.

VENDOR QUALIFICATION STATEMENT

<u>Vendor must complete all portions of this statement before bid proposal will be considered</u>. The following statements as to experience, equipment and general qualifications of the bidder as submitted in conjunction with the proposal, as part thereof and truthfulness and accuracy of information is guaranteed by the bidder and included in bid evaluation.

	Telephone: _						
	Dealer Licens	e No.:				- .	
	City Business	License No.	:			-	
	UBI No.:						
	DUN No.:						
Num	her of years Ven	dor has been	a Dealer:				
	ibel of years ven	doi nas occii					
A.	Number of sir	milar contrac	ts the Vendo		d:		
A. B.	•	milar contrac	ts the Vendo	actorily 1	d: perform	a contract	aw
A. B.	Number of sir	milar contrac	ts the Vendo	actorily 1	d: perform	a contract	aw
A. B.	Number of sir	milar contrac	ts the Vendo	actorily 1	d: perform	a contract	aw
A. B. to his	Number of sir	nilar contractions never fail	ts the Vendo led to satisfa of any and a	actorily 1	d: perform	a contract	aw
A. B. to his	Number of sir The Vendor h m except as follo	nilar contractions never fail ows: (Name of the contractions)	ts the Vendo	actorily 1	d: perform	a contract	aw

2.	Location and for wh	no performed:
	Phone	Contact Person
	Email Address:	
3.	Location and for wh	no performed:
		Contact Person
	Email Address:	
Lis	et three (3) business re	eferences
	. ,	
		Contact Person:
	Email Address:	
2.	Business:	
	Address:	
	Phone:	Contact Person:
	Email Address:	
3.	Business:	
	Phone:	Contact Person:

CITY OF YAKIMA GENERAL PROVISIONS (A PART OF ALL CONTRACT DOCUMENTS)

These General Provisions, the Specifications, the Invitation to Bid/Quote form and any attachments, constitutes the bid document, and will be considered as one document.

1. Laws and Regulations

The contractor shall comply with all applicable laws and regulations pertaining to this contract. In addition, the contractor shall ensure that any subcontractor performing this contract shall comply with all applicable laws and regulations pertaining to this contract.

2. Acceptance

The City reserves the right to reject any or all quotations, to waive any technicalities and informalities, and to accept or reject all or any part of this quotation at prices shown.

All bids/quotes must remain open for acceptance by the City for a period of at least 60 calendar days from the date of opening of the bids/quotes, unless otherwise stated.

3. Bid/Quote Submittals

Bids and quotes shall be submitted on the attached forms only. Extra pages and literature may be added to this package; however, the package shall be returned intact as received.

All prices and notations must be typewritten or written in ink, with no erasures permitted. Mistakes may be crossed out and corrections written adjacent thereto, and must be initialed in ink by person signing quotation. Verify your quotations before submission, as they cannot be withdrawn or corrected after being opened.

If applicable, unit prices for all items, all extensions, and the total amount of bid or quote must be shown. In the instance of a discrepancy between the unit price and the total price, the unit price shall govern. Any pricing, configuration, or other errors discovered after bid/quote opening or quotation due date must remain and cannot be adjusted.

4. Change Orders

Change Orders for material or services will be without effect unless issued and authorized in writing by the Purchasing Manager.

5. Quality Standards

The brand names listed indicate the standard of quality required. Brands of equal quality, performance and use will be considered, provided the offeror specifies the brand, model and other data for comparison with their bid/quote. The City of Yakima will be the sole judge for approving other brands offered as equals to the brand specified. Bidders shall indicate if they are offering alternate brands in the space below each item and must provide descriptive specifications explaining the merits of the substitute item.

6. Delivery

Time is of the essence and this order is subject to cancellation by the City of Yakima for Vendor's failure to deliver on time. For any exception to the delivery date specified in this order, Vendor shall give prior written notification and obtain written approval from the City. The acceptance by the City of later performance with or without objection or reservation shall neither waive the City's right to claim damages for such breach nor constitute a waiver of the requirements for the timely performance of any obligation remaining to be performed by Vendor. All quotations shall include delivery F.O.B. destination, freight pre-paid, unless otherwise stated in this "Bid Call" or "Invitation to Quote" at the designated address set forth in the proposal given to each bidder. When shipping addresses specify room identification, Vendor shall make such delivery thereto without additional charge. If the City grants specific authorization to ship goods F.O.B. Shipping Point, Vendor agrees to prepay all shipping charges, route the goods by cheapest common carrier, and bill the City as a separate item on the invoice for said charges. It is also agreed the City reserves the right, at its sole option, to refuse COD Shipments.

7. Identification

The purchase order number shall appear on all invoices, packing lists, packages, shipping notices and other written documents relating to this order. Packing lists shall be enclosed in each and every box or package shipped pursuant to this order, indicating the content therein.

8. Payment

Vendor is to submit properly completed invoice(s) and mail to: City of Yakima, Accounts Payable, 129 No. 2nd St., Yakima, WA 98901

To insure prompt payment, each invoice should cite purchase order number, bid/quote number, description of item purchased, unit and total price, discount terms and include the vendor's name and return remittance address. Payment will be mailed within thirty (30) days of (a) the receipt and acceptance of the product or service and (b) a properly completed invoice.

9. Risk of Loss

Regardless of the F.O.B. Point specified above, Vendor agrees to bear all risk of loss, injury, or destruction of goods ordered herein which occur prior to actual physical delivery to the City, and such loss, injury, or destruction shall not release Vendor from any obligation hereunder.

10. Force Majeure

Vendor will not be responsible for delays in delivery due to acts of God, fire, Strikes, epidemics, war, riot, delay in transportation or railcar transport shortages, provided vendor notifies the Purchasing Manager immediately in writing of such pending or actual delay. Normally, in the event or any such delays (acts or God, etc.) the date of delivery will be extended for a period equal to the time lost due to the reason for delay.

11. Rejection

All goods and any services purchased in this order are subject to approval by the City. Rejection of goods or services, resulting because of nonconformity to the terms, conditions, and specifications of this order, whether held by the City or returned, will be at Vendor's risk and expense.

12. Approximate Quantity

The quantities listed are the City's current approximate requirements. The City of Yakima will neither be obligated by, nor restricted to, these quantities and may increase or decrease any item(s) ordered under this contract and pay according to the unit prices quoted in the Bid/Quote. If it is agreeable to both parties and prices have not changed and the same unit/materials are still available, additional units/materials may be ordered within 12 months of the signing of the original agreement.

13. Cooperative Purchasing

The Washington State Interlocal Cooperative Act RCW 39.34 provides that other governmental agencies may purchase goods or services on this solicitation or contract in accordance with the terms and prices indicated therein if all parties agree. The City does not accept any responsibility or involvement in the purchase orders or contracts issued by other public agencies.

14. Samples

Samples of items, when required, must be furnished free of expense to the City, and if not destroyed by tests will, upon request, be returned at the bidder's expense.

15. Inspection

Cost of inspection on deliveries or offers for delivery, which do not meet specifications, will be for the account of the vendor.

16. Hazardous Materials

If this order covers goods, which include hazardous chemicals, Vendor shall, at the time of product delivery, provide the City with copies of Material Safety Data Sheets for such chemicals. These sheets shall be in the form then required by applicable law or regulation (See WAC 296-62-05413). This requirement shall be in addition to whatever other requirements are imposed by law or regulation.

17. Public Disclosure

Proposals shall become the property of the City. All proposals shall be deemed a public record as defined in RCW 42.56 "Public Records." Any proposal containing language which copyrights the proposal, declares the entire proposal to be confidential, declares that the document is the exclusive property of the Vendor, or is any way contrary to state public disclosure laws or this RFP will be declared non responsive and removed from consideration. Any information in the proposal that the successful Vendor desires to claim as proprietary and exempt from disclosure under the provisions of RCW 42.56 must be clearly designated as described in Section Proprietary Information. The particular exception from disclosure upon which the Vendor is making the claim and the RFP page it is found on must be identified. RFP's will not be disclosed prior to release to potential respondents. With the exception of lists of prospective Vendors, the City will not disclose RFP records until execution of the contract(s). At that time, all information about the competitive procurement will be available with the exception of: Proprietary/confidential portion(s) of the successful proposal(s), until the Vendor has an adequate opportunity to seek a court order preventing disclosure. The City will consider a Vendor's request for exemption from disclosure; however, the City will make a decision predicated upon RCW 42.56.

18. Warranties

Vendor warrants that all goods and services furnished under this order are new, conform strictly to the specifications herein, are merchantable, good workmanship, free from defect, are fit for the intended purpose of which such goods and services are ordinarily employed and if a particular purpose is stated in a Special Condition, the goods are then warranted as for that particular purpose. Vendor further warrants that no violation of any federal, state or local law, statute, rule, regulation, ordinance or order will result from the manufacturer, production, sale, shipment, installation or use of any other goods. Vendor's warranties (and any more favorable warranties, service policies, or similar undertaking of Vendor) shall survive delivery, inspection, and acceptance of the goods or services.

19. Re-Award

When the contract is terminated by the vendor upon 30 days notice as herein provided, the City, pursuant to City ordinance, may re-award the contract to the next most responsible bidder.

When a vendor is unable to supply goods and/or services to the City and is in breach of the contract, or when the contract is terminated by the City for cause as herein provided, the City reserves the right to re-award the contract to the next most responsible bidder.

20. Errors and Omissions

The City reserves the right to correct obvious ambiguities and errors in the Bidder's proposal and to waive non-material irregularities and/or omissions. In this regard, if the unit price does not compute to the extended total price, the unit price shall govern.

21. Late Receipt of Bid/Quote Documents

Bids and/or quotations and modifications received after the exact hour and date specified for receipt of bids and/or quotations will not be considered (i.e. if bid was due by 2:00 PM, any bids received after 2:00:00 PM will be rejected).

22. Licenses

If applicable, successful vendor shall have a valid and current business license per Chapter 5.02 Section 5.02.010 of the Yakima Municipal Code covering this type of business and shall satisfy all applicable City Code provisions. Said license shall be obtained prior to the award of any contract. Inquiries as to fees, etc., should be made to the Office of Code Administration, telephone (509) 575-6121.

In addition, Contractors are required to be registered by the State per Chapter 18.27 of the Revised Code of Washington and their registration number must be listed on the bid/quote.

23. Delivery of Unapproved Substitutions

Vendors are authorized to ship only those items ordered covered by the contract. If a review of orders placed by the City reveals that an item other than those covered by and specified in the contract have been ordered and delivered, the Purchasing Manager will take such steps as are necessary to have the item(s) returned to the contractor at no cost to the City regardless of the time lapsed between the date of delivery and discovery of the violation. Violation of this clause may result in the removal of the offending vendor's name from the City mailing list for a period of up to three (3) years.

24. "No Bids"

Vendors who are unable to or do not wish to submit a bid and are encouraged to respond by notating their bid "NO BID" on page one of the "BID CALL" and mailing it to the City of Yakima Clerk's Office, 129 North 2nd Street, Yakima, Washington, 98901, with the Bid/Quote due date and time written on the

face of the envelope. It is the City's practice that if no response to a bid is received by a vendor after two consecutive mailings, the vendor will be deleted from our vendor's mailing list for that type of commodity item.

25. Non-Collusion

The Bidder represents, by the submission of the Proposal, that the prices in this bid/quote are neither directly nor indirectly the result of any formal or informal agreement with another bidder.

26. Evaluation of Bid/Quote
In the evaluation of otherwise responsible bids/quotes, the Bidder's experience, delivery time and responsibility in performing other contracts will be considered. In addition to price, the following may be considered:

- The ability, capacity and skill of the bidder to perform the contract and provide the services required.
- Whether the bidder can perform the contract or provide the service promptly, or within the time specified, without delay or interference.
- The character, integrity, reputation, judgement, experience and efficiency of the bidder.
- The quality of performance of previous contracts or service.
- The previous and existing compliance by the bidder with laws and ordinances relating to contracts or services.
- VI. The sufficiency of the financial resources and ability of the bidder to perform the contract or provide the service.
- VII The quality, availability, and adaptability of the supplies or contractual services to the particular use required.
- VIII. The ability of the bidder to provide future maintenance and service for the use of the subject of the contract.

The City will pay sales and use taxes imposed on goods or services acquired hereunder as required by law. The City is exempt from Federal Excise Tax.

28. Non-Discrimination

During the performance of this Agreement, Contractor shall not discriminate in violation of any applicable federal, state and/or local law or regulation on the basis of race, color, sex, religion, national origin, creed, age, marital status, disability, honorably discharged veteran or military status, pregnancy, sexual orientation, political affiliation, or the presence of any sensory, mental or physical handicap, and any other classification protected under federal, state, or local law. This provision shall include but not be limited to the following: employment, upgrading, demotion, transfer, recruitment, advertising, layoff or termination, rates of pay or other forms of compensation, selection for training, and the provision of services under this Agreement.

29. The Americans With Disabilities Act.

With regard to the services to be performed pursuant to this Agreement, Contractor agrees to comply with the Americans With Disabilities Act of 1990, 42 U.S.C. § 12101 et seq. (ADA) and its implementing regulations, and Washington State's anti-discrimination law as contained in RCW Chapter 49.60 and its implementing regulations. The ADA provides comprehensive civil rights to individuals with disabilities in the area of employment, public accommodations, state and local government services, and telecommunications.

30. Assignment. This Agreement, or any interest herein, or claim hereunder, shall not be assigned or transferred in whole or in part by the Contractor to any other person or entity without the prior written consent of the City. In the event that such prior written consent to an assignment is granted, then the assignee shall assume all duties, obligations, and liabilities of Contractor as stated herein.

31. Termination - Convenience

This contract may be terminated by either party by giving thirty (30) days written notice of such intent and will become effective thirty (30) days from the date such written notice is delivered to the applicable party to the contract.

32. Termination - Cause
The City reserves the right to terminate this contract at any time, upon written notice, in the event that the services of the Contractor are deemed by the City to be unsatisfactory, or upon failure to perform any of the terms and conditions contained in this agreement. In addition to the foregoing right of termination, the City may terminate this contract, with or without cause, upon thirty (30) days written notice to Contractor.

33. Delay of an Award

If, after bid/quote opening, administration problems threaten to delay award beyond the bidder's acceptance period, bidders shall be requested to extend the bid/quote acceptance period. This request must be made and confirmed in writing prior to the expiration date of their bids/quotes (with consent of sureties, if any) to avoid the need to re-advertise.

34. Venue

In the event that any litigation should arise concerning the construction or interpretation of any of the terms of the Agreement, the venue of such action of litigation shall be in the Courts of the State of Washington in and

for the City of Yakima. This Agreement shall be governed by the laws of the State of Washington.

35. Defense and Indemnity Agreement

The vendor agrees to defend, indemnify and save harmless the City, its appointed and elective officers and employees, from and against all loss or expense, including but not limited to judgements, settlements, attorney's fees and costs by reason of any and all claims and demands upon the City, its elected or appointed officials or employees for damages because of personal or bodily injury, including death at any time resulting therefrom, sustained by any person or persons and on account to damage to property including loss of use thereof, whether such injury to persons or damage to property is due to the negligence of the Vendor, his/her subcontractors, it successor or assigns, or its or their agent, servants, or employees, The City, its appointed or elected officers, employees or their agents, except only such injury or damage as shall have been occasioned by the sole negligence of the City, its appointed or elected officials or employees. It is further provided that no liability shall attach to the City by reason of entering into this contract, except as expressly provided herein.

36. Permits

The vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits required by the City of the vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits required by the City of the vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits required by the City of the vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits required by the City of the vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits required by the City of the vendor shall procure and pay for all permits and licenses necessary for the completion of the Contract, including those permits and any delays caused thereby will not be subject to extra compensation or extension.

37. Severability

If any term or condition of this contract or the application thereof to any person(s) or circumstances is held invalid, such invalidity shall not affect other terms, conditions or applications which can be given effect without the invalid term, condition or application. To this end, the terms and conditions of this contract are declared severable.

38. Waiver

Waiver of any breach or condition of this contract shall not be deemed a waiver of any prior or subsequent breach. No term or condition of this contract shall be held to be waived, modified or deleted except by an instrument, in writing, signed by the parties hereto.

39. Entire Agreement

This written contract represents the entire Agreement between the parties and supersedes any prior oral statements, discussions or understanding between the parties.

40. Protest Procedure

Any protest must be made in writing, signed by the protestor, and state that the vendor is submitting a formal protest. The protest shall be filed with the City of Yakima's Purchasing Manager at 129 No. 2nd St., Yakima, WA 98901, faxed to 509-576-6394 or emailed to sownby@ci.yakima.wa.us. The protest shall clearly state the specific factual and legal ground(s) for the protest, and a description of the relief or corrective action being requested. **Protests before** award shall be filed five (5) days before the solicitation due date, and **protests after the award** shall be filed five (5) days after Award Announcement (see below for details). The following steps shall be taken in an attempt to resolve the protest with the vendor:

Step I Purchasing Manager and Division Manager of solicitation try resolving matter with protester. All available facts will be considered and the City Purchasing Manager shall issue a decision. This decision shall be delivered in writing to the protesting vendor.

Step II If unresolved, within three (3) business days after receipt, the protest may be appealed to the Department Head by the Purchasing Manager.

Step III If still unresolved, within three (3) business days after receipt, the protest may be appealed to the City Manager (or his designee). The City Manager shall make a determination in writing to the vendor.

Grounds for Protest

Only protests stipulating an issue of fact concerning the following subjects shall be considered:

- · A matter of bias, discrimination, conflict of interest;
- Solicitation unduly constrains competition or contains inadequate or improper criteria;
- Errors in computing score:
- Non-compliance with procedures described in the solicitation or City Policy.

Protest Determination

Each review and determination of the protest shall issue a decision that either:

- Finds the protest lacking in merit and upholds the award; or
- Finds only technical or harmless errors in the acquisition process and determines the City to be in substantial compliance and therefore reject the protest; or
- Finds merit in the protest and provides options for correction, including, but not limited to, correcting the errors and re-evaluating the bids, reissuing the bid to begin a new process, or entering in to a contract that remedies the protest finding; or
- Makes other findings and determines other courses of action as appropriate.

Timeframe

Only protests and complaints received within the required timeframe for protest action are accepted for consideration.

Award Announcement

Purchasing shall announce the successful bidder via City Website, e-mail, fax, regular mail, or by any other appropriate means. Once the announcement is released by Purchasing, the protest time frame begins. The timeframe is not based upon when the vendor received the information, but rather when the announcement is issued by Purchasing. Though every effort will by made by Purchasing to distribute the announcement to the interested vendors, Purchasing is not responsible to assure that vendors receive the announcement. It is the responsibility of the vendors to obtain the announcement from Purchasing.

Award Regardless of Protest

When a written protest against making an award is received, the award shall not be made until the matter is resolved, unless the City determines that one of the following applies:

- The supplies or services to be contracted for are urgently required;
- Delivery or performance will be unduly delayed by failure to make award promptly;
- A prompt award will otherwise be advantageous to the City.

If the award is made, the file must be documented to explain the basis for the award. Written notice of the decision to proceed shall be sent to the protester and others who may be concerned.

The City retains the right to enter into any contract and nothing herein shall be construed to limit that authority in any manner.

41. Qualified Bids

The General Terms and Conditions and Supplemental Terms and Conditions included in this bid document will govern the performance of the work. No other terms and conditions will be accepted. Bids that are conditioned in any way, or Bids that take exception in any way to the City of Yakima's General and Supplemental Terms and Conditions, may result in the Bid being considered non-responsive.

42. Proprietary Material Submitted

Any information contained in the bid/RFP submitted that is proprietary must be clearly designated. Marking the entire bid as proprietary will be neither accepted nor honored. If a request is made to view a vendor's bid, the City of Yakima will comply according to the Open Public Records Act, Chapter 42.17 RCW. If any information is marked as proprietary in the proposal, such information will not be made available until the affected vendor has been given an opportunity to seek a court injunction against the requested disclosure.

Personnel Inventory Form

* To Accompany Bid Proposal *

Firm Name:		Contact:
Address:		Phone Number:
City:	State:	Zip:
Type of Service Provided:		
Are you a certified DBE or WM	IBE?: YES	NO If yes, what is your certification number
	#	

Contractor's Entire Work Force - if you need additional space, photocopy this section and attach it to this form.

Occupation	Total Employed		Total Minorities		African American		Asian or Pacific Islander		Native American		Hispanic or Latino		Apprentice Trainee	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Officers														
Foremen														
Clerical														
Totals:														

Goals for minorities and women employees in the contractor's and subcontractor's workforce are 10% combined. Contractors and subcontractors do not have to fire or lay off employees to meet these goals, however, if new employees are hired, it shall be an obligation to make a good faith effort to hire qualified minorities and women.